

From: KarenD Johnson/R3/USEPA/US
Sent: 1/24/2012 9:29:49 AM
To: "Perry, Scott (DEP)" <scperry@pa.gov>
CC:
Subject: Re: FW: Fw: Dimock sampling

Thanks! - First day slowness added with that many included that need to be organized....it will work!
I was in a meeting with Gerry when Rich replied to your earlier message, so I knew it was resolved.
Karen D. Johnson, Chief
Ground Water & Enforcement Branch

From: "Perry, Scott (DEP)" <scperry@pa.gov>
To: KarenD Johnson/R3/USEPA/US@EPA
Date: 01/24/2012 09:20 AM
Subject: FW: Fw: Dimock sampling

Karen – please disregard my previous email. This alleviates my concerns.

Scott R. Perry | Deputy Secretary
Office of Oil and Gas Management
Department of Environmental Protection
400 Market Street | Harrisburg, PA 17101
Phone: 717.783.9438 | Fax: 717.705.4087
www.depweb.state.pa.us

From: Richard Rupert [mailto:Rupert.Richard@epamail.epa.gov]
Sent: Tuesday, January 24, 2012 8:37 AM
To: Perry, Scott (DEP)
Cc: Richard Fetzer; Jennie Saxe; KarenD Johnson; Brokenshire, Stephen; Raphael, David J.; heston.gerald@epa.gov; carney.dennis@epa.gov; Ann DiDonato
Subject: Re: Fw: Dimock sampling

Dear Scott,

I think there is a little bit of confusion on the events of yesterday. The purging actually took only a bit more than an hour to accomplish and while this was being performed everyone was getting their sampling equipment set up. The real time consuming issue was the faucet at the well head that was so low to the ground that a hose needed to be added to allow for the filling of all but, the VOA bottles. The hose unfortunately was of a size that restricted a generous flow. Thus, filling bottles was inordinately slow when considering we were trying to provide water to three sample sets. To correct this condition we are trying to procure a larger diameter hose of a material that will not compromise our sample results.

Also in the case of the Ex. B - Personal Privacy home a protracted purging was not anticipated nor conducted because the well has been in service. For homes where the well has not been used we do plan on sending out an advance team to begin purging the well before the combined sampling teams arrive.

As our arrangement with Steve Brokenshire I will be contacting him the day before sampling to advise of our plans so he may decide when he would like to arrive.

Of course any ideas that DEP may offer to streamline this process are appreciated.

respectfully,

Richard Rupert

On-Scene Coordinator
U.S.EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514 8773 - MOBILE
rupert.richard@epa.gov

----- Forwarded by Richard Fetzer/R3/USEPA/US on 01/24/2012 08:14 AM -----

From: "Perry, Scott (DEP)" <scpperry@pa.gov>
To: Richard Fetzer/R3/USEPA/US@EPA, Jennie Saxe/R3/USEPA/US@EPA, KarenD Johnson/R3/USEPA/US@EPA
Cc: "Raphael, David J." <draphael@pa.gov>, "Brokenshire, Stephen" <sbrokenshi@pa.gov>
Date: 01/23/2012 09:59 PM
Subject: Dimock sampling

Dear EPA Colleagues,

As I understand the current sampling procedure, EPA and DEP staff will arrive onsite and will begin a multi-hour well purging event. After this event, samples will be taken. As a result of this procedure, it takes approximately 5 hours to sample a single home. Unlike the previous frac study event, there are no advance teams to begin purging the water wells such that sampling can begin without delay. How can we work together to streamline these procedures? It seems that an advance team as utilized in the frac study will alleviate these issues. This current procedure compromises sample holding times and potentially invalidates the entire effort. Please let me know ASAP how we can streamline this process!

Scott R. Perry | Deputy Secretary
Office of Oil and Gas Management
Department of Environmental Protection
400 Market Street | Harrisburg, PA 17101
Phone: 717.783.9438 | Fax: 717.705.4087
www.depweb.state.pa.us